

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
3 May 2001 (03.05.2001)

PCT

(10) International Publication Number
WO 01/31074 A1

- (51) International Patent Classification⁷: C22C 13/00, 13/02 (74) Agent: MASCIOLI, Alessandro: Via Leonina, 26, I-00184 Roma (IT).
- (21) International Application Number: PCT/IT00/00089 (81) Designated States (*national*): JP, US.
- (22) International Filing Date: 20 March 2000 (20.03.2000) (84) Designated States (*regional*): European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data: RM99A000651 25 October 1999 (25.10.1999) IT Published:
— With international search report.
- (71) Applicant and
(72) Inventor: AGOSTINELLI, Paolo [IT/IT]; Santa Croce 2257/A, I-30135 Venezia (IT). For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.



WO 01/31074 A1

(54) Title: A METAL ALLOY FOR ELECTRICAL CONNECTIONS WITH NUL CONTACT TENSION

(57) Abstract: A metal alloy for realizing electrical connections with pratically nul contact tension, comprising the following components, possibly alternative, with the relative percentages: tin 45-95 %, antimony 1-20 %, copper 1-20 %, lead 0-50 %, silver 0-20 %, gold 0-10 %, rhodium 0-15 %, palladium 0-10 %, beryllium 0-20 %.

BEST AVAILABLE COPY

"A METAL ALLOY FOR ELECTRICAL CONNECTIONS WITH NUL CONTACT TENSION"

The present invention concerns a new metal alloy for realizing electrical contacts with a practically nul contact tension.

It is well known that pure metals, like copper and silver, are excellent electric conductors and are not very expensive.

The transmission of small and variable electric signals, like e.g. audio signals, proves - by way of experiment - to be a phenomenon quite more complicated than it was known to science, because there are penomena which can be heard by the listener but that may not be taken by any instrument, like tone-colours, the effect of space and the roughness.

Infact, it has been noted that the distortion at audio high frequencies or the 'furred' sound in audio medium frequency, both caused by the copper used in the cables, can be heard, and the silver cables makes it perceive immediately.

Therefore, it is necessary to eliminate above mentioned inconveniences shown by pure metals, all the more so as even the use of silver only determines a very clean sound, not distorted but somewhat faint and quite too metallic.

A plurality of metals disposed in series or in parallel may produce satisfactory results, obtaining the compensation of the different tone-colours; but this result has proved to be expensive due to the indispensable need of gold, and difficult to working.

At present, even filters or compensation nets are used and, in general, the makers try to compensate the different tone-colours or distortions produced by the component metals and by the metals in the cables with excellent results, even if they are still compensations.

The phenomenon of the distortion of the small electric signals may be explained with the contact tensions that arise in the welding points or in the contact points between the different metals.

No metal is free from such phenomenon.

As said distortion is caused by discontinuity or by a tension step, that is the limit to the resolution of the small entity electric signals, the need of the elimination thereof, so as to obtain a greater resolution, appears evident.

Above described aim may also be reached by using metal alloys: infact, it is known that an alloy loses the features of its components for assuming a typical structure: bronze, e.g., has its own molecular structure and its typical sonority absolutely different from the one of its components.

The alloy according to the present invention approaches as much as possible a null contact tension; it may be welded by means of the known procedures used for tin-lead welding; it does not break; it has a considerable malleability; it does not oxidize very easily and consists of the following metals in the relative percentages:

tin	45-95%
antimony	1-20%
copper	1-20%
lead	0-50%
silver	0-20%
gold	0-10%
rhodium	0-15%
palladium	0-10%
beryllium	0-20%

Each additive changes the sonority of the cable obtained with the alloy in a range of different harmonies, according to the needs.

The tests done with the wires obtained with above described alloy have shown that the resolution increases considerably as - in the field of audio and video, e.g. - the parameters connected thereto also increase: surrounding, micro-contrast, colour.

In an embodiment, an alloy according to the present invention, with a reduced number of components but extremely efficient for what concerns the acoustic result, may consist of:

tin	95%
antimony	4%
copper	<u>1%</u>
total,	100%

CLAIMS

1. A metal alloy for realizing electrical connections with practically nul contact tension, **characterized** in the components with the relative percentages.

tin	45-95%
antimony	1-20%
copper	1-20%
lead	0-50%
silver	0-20%
gold	0-10%
rhodium	0-15%
palladium	0-10%
beryllium	0-20%

2. A metal alloy according to claim 1, **characterized** in the presence of:

tin	95%
antimony	4%
copper	<u>1%</u>
total,	100%

INTERNATIONAL SEARCH REPORT

Int. donal Application No

PCT/IT 00/00089

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C22C13/00 C22C13/02

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C22C

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

PAJ, WPI Data, CHEM ABS Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	DD 220 915 A (MANSFELD KOM W PIECK FI F NE M) 10 April 1985 (1985-04-10) page 6; example 1 ---	1
X	DE 25 35 616 B (DEUTSCHE GOLD- UND SILBER-SCHNEIDEANSTALT) 22 July 1976 (1976-07-22) claim 1 ---	1
X	PATENT ABSTRACTS OF JAPAN vol. 017, no. 352 (M-1439), 5 July 1993 (1993-07-05) -& JP 05 050286 A (SENJU METAL IND CO LTD; OTHERS: 01), 2 March 1993 (1993-03-02) abstract; example 4 ---	1
A	WO 97 09455 A (SARNOFF DAVID RES CENTER) 13 March 1997 (1997-03-13) ---	
-/--		

☒ Further documents are listed in the continuation of box C.☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

1 August 2000

Date of mailing of the international search report

08/08/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Ashley, G

BEST AVAILABLE COPY

INTERNATIONAL SEARCH REPORT

Information on patent family members

Int. l. Application No

PCT/IT 00/00089

Patent document cited in search report		Publication date	Patent family member(s)		Publication date
DD 220915	A	10-04-1985	NONE		
DE 2535616	B	22-07-1976	FR	2320807 A	11-03-1977
			NL	7605293 A	11-02-1977
			SE	7608894 A	10-02-1977
JP 05050286	A	02-03-1993	JP	3027441 B	04-04-2000
WO 9709455	A	13-03-1997	NONE		
WO 9425634	A	10-11-1994	US	5352407 A	04-10-1994
			US	5405577 A	11-04-1995
			AU	6775494 A	21-11-1994
			EP	0695373 A	07-02-1996
			JP	2752258 B	18-05-1998
			JP	8509661 T	15-10-1996

BEST AVAILABLE COPY